

CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting




Technical Characteristic

- From 48 to 264 Modules
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Triangle Lock System




CPD Surface Distribution Cabinets with Din Rail Accessory + Blank cover h:200 mm

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUMP	600x600x200	48M (24x2 rows) + Blank Cover	1
CPD 6007520 SUMP	600x750x200	72M (24x3 rows) + Blank Cover	1
CPD 6009020 SUMP	600x900x200	96M (24x4 rows) + Blank Cover	1
CPD 6010520 SUMP	600x1050x200	120M (24x5 rows) + Blank Cover	1
CPD 6012025 SUMP	600x1200x250	144M (24x6 rows) + Blank Cover	1
CPD 6015025 SUMP	600x1500x250	192M (24x8 rows) + Blank Cover	1
CPD 6018025 SUMP	600x1800x250	240M (24x10 rows) + Blank Cover	1



CPD Surface Distribution Cabinets with Din Rail Accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUMS	600x600x200	72M (24x3 rows)	1
CPD 6007520 SUMS	600x750x200	96M (24x4 rows)	1
CPD 6009020 SUMS	600x900x200	120M (24x5 rows)	1
CPD 6010520 SUMS	600x1050x200	144M (24x6 rows)	1
CPD 6012025 SUMS	600x1200x250	168M (24x7 rows)	1
CPD 6015025 SUMS	600x1500x250	216M (24x9 rows)	1
CPD 6018025 SUMS	600x1800x250	264M (24x11 rows)	1



CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting



Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System

CPD Surface Distribution Cabinets with Mounting Plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUM	600x600x200	Mounting Plate	1
CPD 6007520 SUM	600x750x200	Mounting Plate	1
CPD 6009020 SUM	600x900x200	Mounting Plate	1
CPD 6010520 SUM	600x1050x200	Mounting Plate	1
CPD 6012025 SUM	600x1200x250	Mounting Plate	1
CPD 6015025 SUM	600x1500x250	Mounting Plate	1
CPD 6018025 SUM	600x1800x250	Mounting Plate	1



Complementary Items

Code	Din Modules	Pack
CP 12011	Terminal Blocks - 24M	1
CP 12012	Terminal Blocks - 36M	1
CPD606024	24M Din Rail Kit - 150mm.Height	1
CPD606025	24M Din Rail Kit - 200mm.Height	1
CPD606034	Blank Module Cover - 150mm.Height	1
CPD606035	Blank Module Cover - 200mm.Height	1
CPD606034M	Mounting Plate for CP606034	1
CPD606035M	Mounting Plate for CP606035	1
CPD606044	Base Plate for Floor Installation - 20 cm	1
CPD606054	Base Plate for Floor Installation - 25cm	1
CPD606056	Cable Entry Plate with Brush Style - 25cm	1
CPD606046	Cable Entry Plate with Brush-Style - 20 cm	1
CPD606045	Metal Lock Set For CPD range	1



CP 12012



CPD606024



CPD606034



CPD606034M



CPD606044



CPD606045



CPD606046

CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting

Technical Characteristic



- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm



CPD - Surface Mounting Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUM	400x500x150	Mounting Plate	1
CPD 4006515 SUM	400x650x150	Mounting Plate	1
CPD 4505015 SUM	450x500x150	Mounting Plate	1
CPD 4506515 SUM	450x650x150	Mounting Plate	1



CPD Surface Mounting Distribution Cabinets with Din rail Accessory + Blank Cover

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUPP	400x500x150	30M (15x2 rows)	1
CPD 4006515 SUPP	400x650x150	45M (15x3 rows)	1
CPD 4505015 SUPP	450x500x150	34M (17x2 rows)	1
CPD 4506515 SUPP	450x650x150	51M (17x3 rows)	1



CPD Surface Distribution Cabinets - with Din Rail Accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUPS	400x500x150	45M (15 x 3 rows)	1
CPD 4006515 SUPS	400x650x150	60M (15 x 4 rows)	1
CPD 4505015 SUPS	450x500x150	51M (17 x 3 rows)	1
CPD 4506515 SUPS	450x650x150	68M (17 x 4 rows)	1